






**iSWM Criteria
Community Inventory**
Site Plan Review Applicability
Criteria

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000
Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found






Date Completed:
4/20/2020



iSWM Criteria Community Inventory

Land Use Conditions

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found






Date Completed:
4/20/2020



iSWM Criteria Community Inventory

Hydrologic Methods criteria

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found

Date Completed:
4/20/2020








iSWM Criteria

Community Inventory

Open Channel Velocity
Criteria/Energy Dissipation

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found

Date Completed:
4/20/2020








iSWM Criteria

Community Inventory

Detention Structure

Discharge Criteria

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found

Date Completed:
4/20/2020








iSWM Criteria

Community Inventory

Streambank Protection

Downstream Assessment Criteria

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found

Date Completed:
4/20/2020








iSWM Criteria

Community Inventory

Flood Mitigation Downstream Assessment Criteria

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found






Date Completed: 4/20/2020



**iSWM Criteria
Community Inventory**

Construction Controls

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found






Date Completed:
4/20/2020



iSWM Criteria Community Inventory

Operations and Maintenance

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found






Date Completed:
4/20/2020



iSWM Criteria Community Inventory

Conveyance Limits

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:






- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found

Date Completed:
4/20/2020



**iSWM Criteria
Community Inventory**
Storm Drain
Velocity Criteria

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found






Date Completed:
4/20/2020



iSWM Criteria Community Inventory

Spread Criteria

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found






Date Completed:
4/20/2020



iSWM Criteria Community Inventory

Freeboard Criteria

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found






Date Completed:
4/20/2020



iSWM Criteria Community Inventory

Finished Floor Elevations

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found






Date Completed:
4/20/2020



iSWM Criteria Community Inventory

Water Quality Protection

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000
Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:


- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:






- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found

Date Completed:
4/20/2020



**iSWM Criteria
Community Inventory
Drainage and Floodplain
Easements**

LEGEND

-  Silver Certified
-  Follows iSWM criteria
-  Partially follows iSWM criteria
-  No coordinating criteria found
-  Not reviewed

0 50,000 100,000 Feet



Half Associates, Tetra Tech Inc., and Urban EcoPlan, in partnership with NCTCOG, has completed their Stormwater Criteria Community Inventory.

Ordinances and Drainage Criteria Manuals of fifty-three (53) communities were reviewed and compared to seventeen (17) iSWM Design Criteria:

- Site Plan Review Applicability
- Land Use Conditions
- Hydrologic Methods
- Open Channel Velocity Criteria/Energy Dissipation
- Detention Structure Discharge Criteria
- Streambank Protection
- Flood mitigation/Downstream Assessments
- Construction Controls
- Operations and Maintenance
- Conveyance Limits
- Storm Drain Velocity Criteria
- Spread Criteria
- Freeboard Criteria
- Finished Floor Elevations
- Water Quality Protection
- Drainage and Floodplain Easements

Data was also collected from an NCTCOG email survey completed in December 2018 asking if use of fully developed land use conditions was required in drainage criteria. The iSWM criteria review was based off the NCTCOG Tiered Measurement Form which is utilized as a checklist that can be used to determine iSWM status when applying to become an iSWM certified community.

Upon review, each criterion reviewed for each community was placed in one of the three categories:

- Follows iSWM criteria
- Partially follows iSWM criteria
- No coordinating criteria found

Date Completed:
4/20/2020

